

Convection steam oven CONTACT 11x GN1/1

219966

Made of 18/8 stainless steel. Pressed chamber with rounded corners for easy cleaning. Equipped with LED lighting and thermal insulation – energy-efficient and safe. Condensation drip tray with drain integrated into the door. Adjustable feet ensure stable and level placement. Door features: Double-glass door, cool to the touch – features gravity ventilation between layers. Door can be locked in 4 positions: 60°, 90°, 120°, and 180°. Hinged on the right side. Removable inner glass pane. Silicone gasket mounted in the housing. AirFlow+ – redesigned deflector ensures optimal air circulation, regardless of food placement. Humid+ – water system delivers water directly behind the fan, providing high humidity while minimizing water consumption. Water protection rating: IPX4. Required connections: electricity, treated water, and sewage system. Water inlet: 3/4", drain outlet: ø30 mm (including chamber drain). Large 7-inch touchscreen control panel. Temperature range: 30°C to 270°C. Timer: up to 11 hours and 59 minutes, or continuous operation. Cooking modes: convection, steam, and combi (convection + steam). Fan speed: 3 speeds, normal mode, semi-static mode. Steam generated by direct spray on the fan, electronically controlled in 10 steps (0–100%). Store up to 100 recipes, each with up to 10 steps. Multi-level cooking – prepare different dishes under the same conditions with independent timing. Additional features: Preheating – heats up to 30°C above the set temperature. Holding – automatically maintains serving temperature after the program ends. Holding cabinet – keeps food warm and moist until served. Cooldown – rapid chamber cooling to quickly begin new processes at lower temperatures. Proofer – ideal temperature and humidity conditions for proofing dough. Delayed start – schedule startup up to 24 hours in advance. Delta-T probe – precision cooking by monitoring internal food temperature. USB port – easy upload/download of recipes and HACCP data.

Holds 11 GN 1/1 trays, not included in the set. Tray support spacing: 68 mm. 2 fans with auto-reversing. Automatic washing system with 4 programs: Eco, Normal, Intense, Rinsing. Up to 30% water savings with the new washing head. Production capacity: 165 - 220 meals per day (this figure is indicative and may vary).



HENDI B.V.

Innovatielaan 6
6745 XW De Klomp, The Netherlands
T: +31 (0)317 681 040
E: info@hendi.eu

HENDI Polska Sp. z o.o.

ul. Firmowa 12
62-023 Robakowo, Poland
T: +48 61 6587000
E: info@hendi.pl

HENDI GmbH

Ehring 15
5112 Lamprechtshausen, Austria
T: +43 (0) 6274 200 10 0
E: office.austria@hendi.eu

HENDI S.R.L.

Str. 13 decembrie 94A, Hala 14
Braşov, 500164, Romania
T: +40 268 320330
E: office@hendi.ro

PKS HENDI South East Europe SA

5 Metsovou Str.
18346 Moschato, Athens, Greece
T: +30 210 4839700
E: info@pks-hendi.com

HENDI Italia S.R.L.

Via Leonardo da Vinci 4
39100 Bolzano (BZ), Italy
T: 800 727 438
E: office.italy@hendi.eu



HENDI

Tools for Chefs

Specifications

Usage area	: Kitchen, Indoor
Oven chambers	: 1
Voltage	: 400
Rated Frequency (Hz)	: 50 Hz, 60 Hz
Temp range from (°C)	: 30°C
Temp range to (°C)	: 270°C
Unit temperature	: Celsius
Timer	: 12
Timer unit	: Hours
Heating element	: Heater
Ingress protection	: IPX4
Supported standards	: USB
Protections	: Overheat protection, Thermal fuse, Water proof
Nestable	: No
Reversible door	: No
Water connection	: Yes
Plumber needed	: Yes
Electrician needed	: Yes
Included accessories	: Washing system
Transparent door	: Yes

Marketing Packed per	: 1
Marketing Packaging Type	: Box
Length (mm)	: 730
Width (mm)	: 849
Height (mm)	: 1130
Weight of item (kg)	: 113.8
Internal length (mm)	: 590
Internal width (mm)	: 372
Internal height (mm)	: 855
Sizes that fit	: GN 1/1
Capacity value	: 11
Capacity unit	: Trays
Max load	: 4
Max load unit	: kg/tray
Tray support spacing (mm)	: 68
Power (input) (W)	: 15400
Control panel	: Digital
Programmable	: Yes
Probe	: Yes
Number of fans	: 2
Measurements	: 730x849x(H)1130
Main materials	: Metals, Glass
Materials	: Double pane glass, 18/0 Stainless steel
Interior material	: 18/10 Stainless steel

Transport specifications

EAN	: 8711369219966
Intrastat code	: 84198180
Gross weight (kg)	: 131
Net weight (kg)	: 113.02
Sales units per pallet	: 1
Plastic packaging (gram)	: 100

HENDI B.V.

Innovatielaan 6
6745 XW De Klomp, The Netherlands
T: +31 (0)317 681 040
E: info@hendi.eu

HENDI Polska Sp. z o.o.

ul. Firmowa 12
62-023 Robakowo, Poland
T: +48 61 6587000
E: info@hendi.pl

HENDI GmbH

Ehring 15
5112 Lamprechtshausen, Austria
T: +43 (0) 6274 200 10 0
E: office.austria@hendi.eu

HENDI S.R.L.

Str. 13 decembrie 94A, Hala 14
Braşov, 500164, Romania
T: +40 268 320330
E: office@hendi.ro

PKS HENDI South East Europe SA

5 Metsovou Str.
18346 Moschato, Athens, Greece
T: +30 210 4839700
E: info@pks-hendi.com

HENDI Italia S.R.L.

Via Leonardo da Vinci 4
39100 Bolzano (BZ), Italy
T: 800 727 438
E: office.italy@hendi.eu